

*Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.*

## Auxiliary Devices

**COMPANY****E131787****PIZZATO ELETTRICA SRL**

VIA TORINO 1

MAROSTICA, VI 36063 Italy



Trademark and/or Tradename:

Note: For additional marking information, refer to the [Guide Information Page](#)*View model for additional information*

Model(s): [Contact blocks Models](#) 2, 3, 4, 4B, 4C, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 28, 29, 30, 33, 34, 37, 38, 39, 63, 64, 66, 67.

**Auxiliary Device**, Model(s): [NS\\*](#)

**Auxiliary Device**, Model(s): [Double buttons - Model E2](#) followed by one alphanumeric digit followed by PD followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by four alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [E2](#) followed by one alphanumeric digit followed by SC followed by one alphanumeric digit followed by three alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit may be followed by Numbers and/or letters

**Auxiliary Device**, Model(s): [E6](#) followed by one alphanumeric digit followed by IS followed by 5 or 6 followed by A or B followed by one alphanumeric digit followed by one alphanumeric digit followed by V followed by 1 followed by one alphanumeric digit may be followed by Numbers and/or letters"

**Auxiliary Device**, Model(s): [Illuminated Knob Selector Switch - Model E2](#) followed by one alphanumeric digit followed by SL followed by one alphanumeric digit followed by three alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by two alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [Joystick - Model E2](#) followed by one alphanumeric digit followed by MA followed by one alphanumeric digit followed by two alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by 1 may be followed by numbers and/or letters

**Auxiliary Device**, Model(s): [Key selector switches - Model E2](#) followed by one alphanumeric digit followed by SC followed by three alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit

followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit may be followed by Numbers and/or letters.

**Auxiliary Device**, Model(s): [Mushroom button with or without keylock - Model E2](#) followed by one alphanumeric digit followed by PE followed by one alphanumeric digit followed by one alphanumeric digit followed by 4 followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit may be followed by numbers and/or letters

**Auxiliary Device**, Model(s): [Pilot light - Model E2](#) followed by one alphanumeric digit followed by IL followed by one alphanumeric digit followed by one alphanumeric digit followed by 1 followed by one to five alphanumeric digit may be followed by numbers and/or letters

**Auxiliary Device**, Model(s): [Pilot light - Model E6](#) followed by one alphanumeric digit followed by IL followed by 1 or 3 or 4 or 7 or 8 followed by one alphanumeric digit followed by one alphanumeric digit followed by 1 followed by 1 followed by one to five alphanumeric digit may be followed by Numbers and/or letters

**Auxiliary Device**, Model(s): [Quadruple pushbuttons - Model E2](#) followed by one alphanumeric digit followed by PQ followed by one alphanumeric digit followed by A followed by one alphanumeric digit followed by four alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [RJ45 socket - Model E2](#) followed by one alphanumeric digit followed by RJ45 followed by one alphanumeric digit followed by one alphanumeric digit followed by two to four alphanumeric digit may be followed by numbers and/or letters

**Auxiliary Device**, Model(s): [Single Illuminated push button - Model E2](#) followed by one alphanumeric digit followed by PL followed by 1 or 2 or 4 followed by R or S or P or F followed by one alphanumeric digit followed by 2 or 4 followed by one alphanumeric digit followed by one to five alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [Single push button - Model E2](#) followed by one alphanumeric digit followed by PU followed by 1 or 2 or 4 followed by R or S or P or F followed by one alphanumeric digit followed by 2 or 4 followed by one alphanumeric digit followed by one to five alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [Triple buttons - Model E2](#) followed by one alphanumeric digit followed by PT followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by four alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [USB socket - Model E2](#) followed by one alphanumeric digit followed by USB followed by one alphanumeric digit followed by one alphanumeric digit followed by two to four alphanumeric digit may be followed by numbers and/or letters

**Auxiliary Device Enclosed**, Model(s): [FG](#) followed 6xx, followed by five alphanumeric digits, may be followed by any alphanumeric digits.

**Auxiliary Device Enclosed**, Model(s): [FS](#) followed by additional letters and/or numbers

**Auxiliary Devices**, Model(s): [NG\\*](#)

**Auxiliary Devices**, Model(s): [BN](#) followed by AC, followed by 1 to 8, followed by E or Z, followed by A01 to Z99, followed by “-”, followed by up to four alphanumeric digits

**Auxiliary Devices**, Model(s): [CS AM](#) followed by one numeric digit, followed by one numeric digit, followed by a letter, followed by 1, followed by a letter, followed by one alphanumeric digit, maybe followed by up to five alphanumeric digits.

**Auxiliary Devices**, Model(s): [FY](#) followed by 6xx, followed by five alphanumeric digits, maybe followed by any alphanumeric digits

**Auxiliary Devices**, Model(s): [Models AN](#) followed by T, followed by 1 or 9, followed by one alphanumeric digit, followed by 0 or 1, followed by two alphanumeric digits, followed by A, followed by up to ten alphanumeric digits

**Auxiliary Devices**, Model(s): [NX](#) followed by a letter, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 1, followed by up to five alphanumeric digits and symbols, followed by "--", followed by three alphanumeric digits, may be followed by up to twelve alphanumeric digits.

**Auxiliary Devices**, Model(s): [Potentiometer - E6](#) followed by one alphanumeric digit followed by DM followed by 001K or 02K2 or 04K7 or 010K or 022K or 047K or 100K or 470K followed by two alphanumeric digit followed by two alphanumeric digit may be followed by Numbers and/or letters

**Auxiliary Devices**, Model(s): [VE](#) followed by DL, followed by 1 or 5, followed by A, followed 1 by 9, followed by A or L or D, followed by up to three alphanumeric digits

**Auxiliary Devices**, "Accessory Handles P-Kube Krome", Model(s): [AN](#) followed by S or G, followed by 1 or 9, followed by one alphanumeric digit, followed by three alphanumeric digits, followed by A, followed by up to nine alphanumeric digits.

**Auxiliary Devices**, "Accessory of NX series.", Model(s): [VN](#) followed by NX, followed by "--", followed by F, followed by two alphanumeric digits.

**Auxiliary Devices**, "EA series", Model(s): [EA](#) may be followed by AC, followed by 3, followed by 7, followed by three alphanumeric digits

**Auxiliary Devices**, "ES series", Model(s): [ES](#) may be followed by AC, followed by 3, followed by 1 or 2 or 3 or 4 or 6, followed by three alphanumeric digits

**Contact blocks**, Model(s): [DS A\\*](#), [DS C\\*](#), [DS K\\*](#), [E2 CF01G2V1](#), [E2 CF10G2V1](#), [E2 CP01G2V1](#), [E2 CP10G2V1](#), [VF B10\\*](#), [VF B11\\*](#), [VF B12\\*](#), [VF B13\\*](#), [VF B14\\*](#), [VF B15\\*](#), [VF B16\\*](#), [VF B17\\*](#), [VF B18\\*](#), [VF B19\\*](#), [VF B2\\*](#), [VF B20\\*](#), [VF B21\\*](#), [VF B22\\*](#), [VF B28\\*](#), [VF B29\\*](#), [VF B3\\*](#), [VF B30\\*](#), [VF B33\\*](#), [VF B34\\*](#), [VF B37\\*](#), [VF B38\\*](#), [VF B39\\*](#), [VF B5\\*](#), [VF B6\\*](#), [VF B63\\*](#), [VF B64\\*](#), [VF B66](#), [VF B67](#), [VF B7\\*](#), [VF B8\\*](#), [VF B9\\*](#), [VF M4\\*](#), [VF M4B\\*](#), [VF M4C\\*](#), [VF M6\\*](#)

**Contact blocks**, Model(s): [E2, followed by C](#) followed by six alphanumeric digits, may be followed by additional letters and/or numbers.

**Contact Blocks**, Model(s): [VF B](#), [VF M](#)

**Control units**, Model(s): [CS](#) followed by AM-, AR-, AT-, DM-, ME-, FS-, MF, MP followed by two or three alphanumeric digits, followed by V, M, or X, followed by U12 (for Cat. No. CS AR-08 and CS AR-94), U24, 024, 042, 120, 230, E01 (for the Cat. No. CS AM-01), E02 (for Cat. No. CS AR-01 and CS AR-02) or 0 (for the Cat. No. CS MF and CS MP), maybe followed by any alphanumeric digits.

**LED holders**, Model(s): [E2 LF1A2V1](#), [E2 LF1A3V1](#), [E2 LF1A4V1](#), [E2 LF1A6V1](#), [E2 LF1A8V1](#), [E2 LP1A2V1](#), [E2 LP1A3V1](#), [E2 LP1A4V1](#), [E2 LP1A6V1](#), [E2 LP1A8V1](#)

**LED holders**, Model(s): [E2](#) followed by L, followed by six alphanumeric digits.\*

**Limit switches**, Model(s): [FD 2078-M2](#), [FD 2078-M2K40](#), [FD 2079-M2](#), [FD 2093-M2](#), [FD 2093-M2K40](#), [FD 2099-M2](#), [FD 20R2-M2](#), [FD 693-M2](#), [FD 983-M2](#), [FD 984-M2](#), [FD 993-M2](#), [FD 9R2-M2](#), [FL 1038-S1](#), [FL 1038-S2](#), [FL 1878-M2](#), [FL 1883-M2](#), [FL 1884-M2](#), [FL 2015-M2](#), [FL 2031-M2](#), [FL 2038-M2](#), [FL 2058-M2](#), [FL 2078-M2](#), [FL 2083-M2](#), [FL 2084-M2](#), [FL 515-M2](#), [FL 531-M2](#), [FL 978-M2](#), [FP 2038-M2](#), [FP 2038-M2K45](#), [FP 2058-M2](#), [FP 2058-M2K45](#), [FP 2099-M2](#), [FP 20R2-L10M2](#), [FP 20R2-L20M2](#), [FP 20R2-M2](#), [FP 2193-S1](#), [FP 558-M2](#), [FP 9R2-M2](#), [FR 2093-D7M2K23](#), [FR 2093-E3M2](#), [FR 2093-M2](#), [FR](#)

[2093-M2K45](#), [FR 693-M2](#), [FR 993-M2](#), [FW 2092-M2](#), [FW 692-M2](#), [HP AAO 50F-0.2PM](#), [HP AAO 52F-0.2PM](#), [HP AAO 52F-2AN](#), [HP AAO 52F-2PH](#), [HP AAO 52F-2SN](#), [HP AAO 52F-KAM](#), [HP AAO 52F-KSM](#), [HP ABO 50F-2AN](#), [HP ABO 50F-2SN](#), [HP ABO 50F-KAM](#), [HP ABO 50F-KSM](#), [HP ABO 52F-0.2PM](#), [HP ABO 52F-2PH](#), [HP\\*](#), [HX BEEI 0.2PM](#), [HX BEEI 2PN](#), [HX BL22 0.2PM](#), [HX BL22 2PN](#), [HX BL22-5PN](#), [HX\\*](#), [MK+](#), [NA+](#), [NB+](#), [NF+](#), [Series MA](#), [Series MB](#), [Series PA](#)

**Limit switches**, Model(s): [FA](#) followed by 41, 45, 46 or 48, followed by two characters.\*

**Limit switches**, Model(s): [FB](#) followed by 41, 45, 46 or 48, followed by two characters.\*

**Limit switches**, Model(s): [FC](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FD](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FE](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FF](#) followed by 41, 45, 46 or 48, followed by two characters.\*

**Limit switches**, Model(s): [FK](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FL](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FM](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FP](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FR](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FI](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FW](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FX](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FZ](#) followed by additional letters and/or numbers.

**Limit Switches**, Model(s): [FR50I](#), [FR50I-M3](#), [FR502](#), [FR502-M3](#), [FR505](#), [FR505-M3](#), [FR515](#), [FR515-M3](#), [FR52I](#), [FR52I-M3](#), [FR53I](#), [FR53I-M3](#), [FR555](#), [FR555-M3](#)

[Last Updated](#) on 2025-11-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."

*Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.*

## Auxiliary Devices Certified for Canada

**COMPANY****E131787****PIZZATO ELETTRICA SRL**

VIA TORINO 1

MAROSTICA, VI 36063 Italy



Trademark and/or Tradename:

Note: For additional marking information, refer to the [Guide Information Page](#)*View model for additional information*

Model(s): [Contact blocks Models](#) 2, 3, 4, 4B, 4C, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 28, 29, 30, 33, 34, 37, 38, 39, 63, 64, 66, 67.

**Auxiliary Device**, Model(s): [NS\\*](#)

**Auxiliary Device**, Model(s): [Double buttons - Model E2](#) followed by one alphanumeric digit followed by PD followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by four alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [E2](#) followed by one alphanumeric digit followed by SC followed by one alphanumeric digit followed by three alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit may be followed by Numbers and/or letters

**Auxiliary Device**, Model(s): [E6](#) followed by one alphanumeric digit followed by IS followed by 5 or 6 followed by A or B followed by one alphanumeric digit followed by one alphanumeric digit followed by V followed by 1 followed by one alphanumeric digit may be followed by Numbers and/or letters"

**Auxiliary Device**, Model(s): [Illuminated Knob Selector Switch - Model E2](#) followed by one alphanumeric digit followed by SL followed by one alphanumeric digit followed by three alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by two alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [Joystick - Model E2](#) followed by one alphanumeric digit followed by MA followed by one alphanumeric digit followed by two alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by 1 may be followed by numbers and/or letters

**Auxiliary Device**, Model(s): [Key selector switches - Model E2](#) followed by one alphanumeric digit followed by SC followed by three alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit

followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit may be followed by Numbers and/or letters.

**Auxiliary Device**, Model(s): [Mushroom button with or without keylock - Model E2](#) followed by one alphanumeric digit followed by PE followed by one alphanumeric digit followed by one alphanumeric digit followed by 4 followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit may be followed by numbers and/or letters

**Auxiliary Device**, Model(s): [Pilot light - Model E2](#) followed by one alphanumeric digit followed by IL followed by one alphanumeric digit followed by one alphanumeric digit followed by 1 followed by one to five alphanumeric digit may be followed by numbers and/or letters

**Auxiliary Device**, Model(s): [Pilot light - Model E6](#) followed by one alphanumeric digit followed by IL followed by 1 or 3 or 4 or 7 or 8 followed by one alphanumeric digit followed by one alphanumeric digit followed by 1 followed by 1 followed by one to five alphanumeric digit may be followed by Numbers and/or letters

**Auxiliary Device**, Model(s): [Quadruple pushbuttons - Model E2](#) followed by one alphanumeric digit followed by PQ followed by one alphanumeric digit followed by A followed by one alphanumeric digit followed by four alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [RJ45 socket - Model E2](#) followed by one alphanumeric digit followed by RJ45 followed by one alphanumeric digit followed by one alphanumeric digit followed by two to four alphanumeric digit may be followed by numbers and/or letters

**Auxiliary Device**, Model(s): [Single Illuminated push button - Model E2](#) followed by one alphanumeric digit followed by PL followed by 1 or 2 or 4 followed by R or S or P or F followed by one alphanumeric digit followed by 2 or 4 followed by one alphanumeric digit followed by one to five alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [Single push button - Model E2](#) followed by one alphanumeric digit followed by PU followed by 1 or 2 or 4 followed by R or S or P or F followed by one alphanumeric digit followed by 2 or 4 followed by one alphanumeric digit followed by one to five alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [Triple buttons - Model E2](#) followed by one alphanumeric digit followed by PT followed by one alphanumeric digit followed by one alphanumeric digit followed by one alphanumeric digit followed by four alphanumeric digit may be followed by numbers and/or letters.

**Auxiliary Device**, Model(s): [USB socket - Model E2](#) followed by one alphanumeric digit followed by USB followed by one alphanumeric digit followed by one alphanumeric digit followed by two to four alphanumeric digit may be followed by numbers and/or letters

**Auxiliary Device Enclosed**, Model(s): [FG](#) followed 6xx, followed by five alphanumeric digits, may be followed by any alphanumeric digits.

**Auxiliary Device Enclosed**, Model(s): [FS](#) followed by additional letters and/or numbers

**Auxiliary Devices**, Model(s): [NG\\*](#)

**Auxiliary Devices**, Model(s): [BN](#) followed by AC, followed by 1 to 8, followed by E or Z, followed by A01 to Z99, followed by "-", followed by up to four alphanumeric digits

**Auxiliary Devices**, Model(s): [CS AM](#) followed by one numeric digit, followed by one numeric digit, followed by a letter, followed by 1, followed by a letter, followed by one alphanumeric digit, maybe followed by up to five alphanumeric digits.

**Auxiliary Devices**, Model(s): [FY](#) followed 6xx, followed by five alphanumeric digits, maybe followed by any alphanumeric digits

**Auxiliary Devices**, Model(s): [Models AN](#) followed by T, followed by 1 or 9, followed by one alphanumeric digit, followed by 0 or 1, followed by two alphanumeric digits, followed by A, followed by up to ten alphanumeric digits

**Auxiliary Devices**, Model(s): [NX](#) followed by a letter, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by one alphanumeric digit, followed by 1, followed by up to five alphanumeric digits and symbols, followed by "--", followed by three alphanumeric digits, may be followed by up to twelve alphanumeric digits.

**Auxiliary Devices**, Model(s): [Potentiometer - E6](#) followed by one alphanumeric digit followed by DM followed by 001K or 02K2 or 04K7 or 010K or 022K or 047K or 100K or 470K followed by two alphanumeric digit followed by two alphanumeric digit may be followed by Numbers and/or letters

**Auxiliary Devices**, Model(s): [VE](#) followed by DL, followed by 1 or 5, followed by A, followed 1 by 9, followed by A or L or D, followed by up to three alphanumeric digits

**Auxiliary Devices**, "Accessory Handles P-Kube Krome", Model(s): [AN](#) followed by S or G, followed by 1 or 9, followed by one alphanumeric digit, followed by three alphanumeric digits, followed by A, followed by up to nine alphanumeric digits.

**Auxiliary Devices**, "Accessory of NX series.", Model(s): [VN](#) followed by NX, followed by "--", followed by F, followed by two alphanumeric digits.

**Auxiliary Devices**, "EA series", Model(s): [EA](#) may be followed by AC, followed by 3, followed by 7, followed by three alphanumeric digits

**Auxiliary Devices**, "ES series", Model(s): [ES](#) may be followed by AC, followed by 3, followed by 1 or 2 or 3 or 4 or 6, followed by three alphanumeric digits

**Contact blocks**, Model(s): [DS A\\*](#), [DS C\\*](#), [DS K\\*](#), [E2 CF01G2V1](#), [E2 CF10G2V1](#), [E2 CP01G2V1](#), [E2 CP10G2V1](#), [VF B10\\*](#), [VF B11\\*](#), [VF B12\\*](#), [VF B13\\*](#), [VF B14\\*](#), [VF B15\\*](#), [VF B16\\*](#), [VF B17\\*](#), [VF B18\\*](#), [VF B19\\*](#), [VF B2\\*](#), [VF B20\\*](#), [VF B21\\*](#), [VF B22\\*](#), [VF B28\\*](#), [VF B29\\*](#), [VF B3\\*](#), [VF B30\\*](#), [VF B33\\*](#), [VF B34\\*](#), [VF B37\\*](#), [VF B38\\*](#), [VF B39\\*](#), [VF B5\\*](#), [VF B6\\*](#), [VF B63\\*](#), [VF B64\\*](#), [VF B66](#), [VF B67](#), [VF B7\\*](#), [VF B8\\*](#), [VF B9\\*](#), [VF M4\\*](#), [VF M4B\\*](#), [VF M4C\\*](#), [VF M6\\*](#)

**Contact blocks**, Model(s): [E2, followed by C](#) followed by six alphanumeric digits, may be followed by additional letters and/or numbers.

**Contact Blocks**, Model(s): [VF B](#), [VF M](#)

**Control units**, Model(s): [CS](#) followed by AM-, AR-, AT-, DM-, ME-, FS-, MF, MP followed by two or three alphanumeric digits, followed by V, M, or X, followed by U12 (for Cat. No. CS AR-08 and CS AR-94), U24, 024, 042, 120, 230, E01 (for the Cat. No. CS AM-01), E02 (for Cat. No. CS AR-01 and CS AR-02) or 0 (for the Cat. No. CS MF and CS MP), maybe followed by any alphanumeric digits.

**LED holders**, Model(s): [E2 LF1A2V1](#), [E2 LF1A3V1](#), [E2 LF1A4V1](#), [E2 LF1A6V1](#), [E2 LF1A8V1](#), [E2 LP1A2V1](#), [E2 LP1A3V1](#), [E2 LP1A4V1](#), [E2 LP1A6V1](#), [E2 LP1A8V1](#)

**LED holders**, Model(s): [E2](#) followed by L, followed by six alphanumeric digits.\*

**Limit switches**, Model(s): [FD 2078-M2](#), [FD 2078-M2K40](#), [FD 2079-M2](#), [FD 2093-M2](#), [FD 2093-M2K40](#), [FD 2099-M2](#), [FD 20R2-M2](#), [FD 693-M2](#), [FD 983-M2](#), [FD 984-M2](#), [FD 993-M2](#), [FD 9R2-M2](#), [FL 1038-S1](#), [FL 1038-S2](#), [FL 1878-M2](#), [FL 1883-M2](#), [FL 1884-M2](#), [FL 2015-M2](#), [FL 2031-M2](#), [FL 2038-M2](#), [FL 2058-M2](#), [FL 2078-M2](#), [FL 2083-M2](#), [FL 2084-M2](#), [FL 515-M2](#), [FL 531-M2](#), [FL 978-M2](#), [FP 2038-M2](#), [FP 2038-M2K45](#), [FP 2058-M2](#), [FP 2058-M2K45](#), [FP 2099-M2](#), [FP 20R2-L10M2](#), [FP 20R2-L20M2](#), [FP 20R2-M2](#), [FP 2193-S1](#), [FP 558-M2](#), [FP 9R2-M2](#), [FR 2093-D7M2K23](#), [FR 2093-E3M2](#), [FR 2093-M2](#), [FR](#)

[2093-M2K45](#), [FR 693-M2](#), [FR 993-M2](#), [FW 2092-M2](#), [FW 692-M2](#), [HP AAO 50F-0.2PM](#), [HP AAO 52F-0.2PM](#), [HP AAO 52F-2AN](#), [HP AAO 52F-2PH](#), [HP AAO 52F-2SN](#), [HP AAO 52F-KAM](#), [HP AAO 52F-KSM](#), [HP ABO 50F-2AN](#), [HP ABO 50F-2SN](#), [HP ABO 50F-KAM](#), [HP ABO 50F-KSM](#), [HP ABO 52F-0.2PM](#), [HP ABO 52F-2PH](#), [HP\\*](#), [HX BEEI 0.2PM](#), [HX BEEI 2PN](#), [HX BL22 0.2PM](#), [HX BL22 2PN](#), [HX BL22-5PN](#), [HX\\*](#), [MK+](#), [NA+](#), [NB+](#), [NF+](#), [Series MA](#), [Series MB](#), [Series PA](#)

**Limit switches**, Model(s): [FA](#) followed by 41, 45, 46 or 48, followed by two characters.\*

**Limit switches**, Model(s): [FB](#) followed by 41, 45, 46 or 48, followed by two characters.\*

**Limit switches**, Model(s): [FC](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FD](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FE](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FF](#) followed by 41, 45, 46 or 48, followed by two characters.\*

**Limit switches**, Model(s): [FK](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FL](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FM](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FP](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FR](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FI](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FW](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FX](#) followed by additional letters and/or numbers.

**Limit switches**, Model(s): [FZ](#) followed by additional letters and/or numbers.

**Limit Switches**, Model(s): [FR50I](#), [FR50I-M3](#), [FR502](#), [FR502-M3](#), [FR505](#), [FR505-M3](#), [FR515](#), [FR515-M3](#), [FR52I](#), [FR52I-M3](#), [FR53I](#), [FR53I-M3](#), [FR555](#), [FR555-M3](#)

[Last Updated](#) on 2025-11-17

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2025 UL LLC."